泰莱微波
Talent Microwave

Suzhou Talent Microwave,Inc
sales@talentmw.com
www.talentmw.com

Adjustable Phase Shifter

DC-8GHz/3.5mm Female

Model: TLMPS-8G-180-S

TLMPS-8G-180-S is a phase shifters is adjustable passive microwave devices designed for RF applications.TLMPS-8G-180-S have a phase range of 0° to 180° and a phase adjustment of 4.8° per GHz.

Features:

- Operating Frequency DC to 8GHz
- High phase adjustmant accuracy
- Low insertion loss

Applications:

- laboratory test
- Communication equipment

电气特性 Electrical Characteristics:

参数 Parameter	Min	Typ	Max	单位 Units
频率范围 Frequency Range	DC		8	GHz
耐受功率 Power Handling		50		W
阻抗 Impedance		50		Ohms
应用1 Apply 1	Assemble semi-rigid cable,set one channel of phase adjustment range from 0~180°			
驻波 VSWR		1.5	1.55	:1
插损 Insertion Loss		1.4	1.5	dB
相位调节范围 Phase adjustment range	0		180	°/GHz
相位灵敏度 Phase Sensitivity		4.8 x f(GHz)		°/Circle
群时延 Group Delay		500		ps
应用2 Apply 2	Assemble semi-rigid cable,set one channel of phase adjustment range from 0~90°			
驻波 VSWR		1.25	1.35	:1
插损 Insertion Loss		0.6	0.7	dB
相位调节范围 Phase adjustment range	0		90	°/GHz
相位灵敏度 Phase Sensitivity		2.4 X f(GHz)		°/Circle
群时延 Group Delay		250		ps


Suzhou Talent Microwave,Inc
sales@talentmw.com
www.talentmw.com

环境和机械特性 Envrionmental And Physical Characteristics:

类型 Description	参数 Parameter	单位 Units
接口 Connectors	3.5mm Female/3.5mm Female	
尺寸 Size	180*100*26.8	mm

外形图 Outline Drawing:

Unit:mm; Tolerance:±0.1mm



The phase adjustment range of this semi-rigid assembly is 180° at 1 GHz.
After removal, it can be divided into two groups, with a phase adjustment range of 90° at 1 GHz.


订货信息 Ordering Information:

标准型号 Base Number	描述 Description	版本号 Revision
TLMPS-8G-180-S	Adjustable Phase Shifter, DC-8GHz,Phase adjustment: 4.8° per GHz.	Rev.1.0


泰莱微波
Talent Microwave
Suzhou Talent Microwave,Inc
sales@talentmw.com
www.talentmw.com

典型曲线 Typical Performance Data:

0° :



90° :




Note: Above data is for ref only, actual data may vary from unit to unit depending on operating environment and other factors like material lots etc.

泰莱微波
Talent Microwave


Suzhou Talent Microwave,Inc
sales@talentmw.com
www.talentmw.com

典型曲线 Typical Performance Data:

0°：



180°：



Note: Above data is for ref only, actual data may vary from unit to unit depending on operating environment and other factors like material lots etc.